

## DAFTAR PUSTAKA

- Abdeyazdan, Z., Ghahfarokhi, M. M., Ghazavi, Z., & Mohammadizadeh, M. (2016). Effects Of Nesting And Swaddling On The Sleep Duration Of Premature Infants Hospitalized In Neonatal Intensive Care Units. *Iranian Journal Of Nursing And Midwifery Research*, 21(5), 552–556.
- Altika, S., & Ni'amah, S. (2020). Analisis Kualitas Tidur Bayi Yang Dilakukan Pemijatan Di Riu Mom & Baby Spa Sukoharjo Pati. *Jurnal Ilmu Kebidanan Dan Kesehatan (Journal Of Midwifery Science And Health)*, 11(1), 31–35.
- Alya, D. (2013). *Faktor-Faktor Yang Berhubungan Dengan Bayi Berat Lahir Rendah (BBLR) Di Rumah Sakit Ibu Dan Anak Banda Aceh Tahun 2013*. Sekolah Tinggi Ilmu Kesehatan U'budiyah.
- Barone, D. A., & Krieger, A. C. (2013). Stroke And Obstructive Sleep Apnea: A Review. *Curr Atheroscler Rep*, 15(7).
- Bennet, L., Walker, D. W., & Horne, R. S. . (2018). Waking Up Too Early – The Consequences Of Preterm Birth On Sleep Development. *The Journal Of Physiology*, 596(23), 5687–5708.
- Bliss, S. A., Sinha, G., Sandiford, O. A., Williams, L. M., Engelberth, J., Guiro, K., Isenalumhe, L. L., Greco, S. J., Ayer, S., Bryan, M., Kumar, R., Pomzio, N. M., & Rameshwar, P. (2016). Mesenchymal Stem Cell–Derived Exosomes Stimulate Cycling Quiescence And Early Breast Cancer Dormancy In Bone Marrow. *Cancer Research*, 76(19), 5832–5844.
- Carter, K. A., Hathaway, N. E., & Lettieri, C. F. (2014). Common Sleep Disorders In Children. *American Family Physician*, 98(5), 368–377.
- Cutland, C. L. (2017). Low Birth Weight: Case Definition & Guidelines For Data Collection, Analysis, And Presentation Of Maternal Immunization Safety Data. *Vaccine*, 35(48).
- Dewi, U., Aminin, F., & Gunnara, H. (2014). Pengaruh Pemijatan Terhadap Kualitas Tidur Bayi Usia 3-4 Bulan Di Posyandu Gelatik Dan Nuri Kelurahan Tanjungungat Wilayah Kerja Puskesmas Sei Jang Kota Tanjungpinang Tahun 2014. *Jurnal Ners Dan Kebidanan (Journal Of Ners And Midwifery)*, 1(3), 230–235.
- Diekelmann, S., & Born, J. (2010). The Memory Function Of Sleep. *Nature Reviews Neuroscience*, 11(2), 114–126.
- Efendi, D., Sari, D., Riyantini, Y., Novardian, Anggur, D., & Lestari, P. (2019). Pemberian Posisi (Positioning) Dan Nesting Pada Bayi Prematur: Evaluasi Implementasi Perawatan Di Neonatal Intensive Care Unit (NICU). *Jurnal Keperawatan Indonesia*, 22(3), 169–181.

- Fahrizal, Y. (2017). *Beban Kerja Terhadap Kualitas Tidur Pada Buruh Pabrik Di PT. Yang Ming International Kota Semarang*. Muhammadiyah University Of Semarang.
- Ferrari, F., Bertocelli, N., Gallo, C., Roversi, M., Guerra, M., Ranzi, A., & Algra, M. H. (2017). Posture And Movement In Healthy Preterm Infants In Supine Position In And Outside The Nest. *Archives Of Disease In Childhood-Fetal And Neonatal Edition*, 92(5), 386–390.
- Gunawan, J. P., Palit, H. C., & Aysia, D. A. Y. (2021). Tingkat Kualitas Tidur Pelajar Selama Pembelajaran Daring. *Seminar Nasional Teknik Dan Manajemen Industri*, 1(1), 345–351.
- Handayani, R. (2019). Pengaruh Lingkungan Tempat Tinggal Dan Pola Asuk Orangtua Terhadap Motivasi Belajar Siswa Sekolah Dasar. *Jurnal Tunas Bangsa*, 6(1), 15–26.
- Hanum, H., & Wibowo, A. (2016). Pengaruh Paparan Asap Rokok Lingkungan Pada Ibu Hamil Terhadap Kejadian Berat Bayi Lahir Rendah. *Jurnal Majority*, 5(5), 22–26.
- Haryani, S. H., & Zurriyatun, T. (2020). *Asuhan Keperawatan Pada Bayi Dengan Risiko Tinggi*. Trans Info Media.
- Hidayat, A. A. A. (2011). *Metode Penelitian Keperawatan Dan Teknik Analisis Data*. Salemba Medika.
- Indriansari, A. (2011). *Pengaruh Developmental Care Terhadap Fungsi Fisiologis Dan Perilaku Tidur-Terjaga Bayi Berat Lahir Rendah Di RSUP Fatmawati Jakarta*. Universitas Indonesia.
- Jarus, T., Bart, O., Robinovich, G., Sadeh, A., Bloch, L., & Dolfin, T. (2011). Effects Of Prone And Supine Positions On Sleep State And Stress Responses In Preterm Infants. *Infant Behavior And Development*, 34(2), 257–263.
- Kurth, S., Dean, D. C., Achermann, P., O’Muircheartaigh, J., Huber, R., Deoni, S. C. L., & Lebourgeois, M. K. (2016). Increased Sleep Depth In Developing Neural Networks: New Insights From Sleep Restriction In Children. *Frontiers In Human Neuroscience*, 10.
- Kusumastuti, N. A., Tamtomo, D., & Salimo, H. (2016). Effect Of Massage On Sleep Quality And Motor Development In Infant Aged 3-6 Months. *Journal Of Maternal And Child Health*, 1(3), 161–169.
- Lamichhane, S. (2019). Effectiveness Of Nesting Technique On Motor Performance Among Low Birth Weight Babies. *International Journal Of Scientific And Research Publications (IJSRP)*, 9(5).
- Madlinger-Lewis, L., Reynolds, L., & Zarem, C. (2014). The Effects Of Alternative Positioning On Preterm Infants In The Neonatal Intensive Care Unit: A Randomized Clinical Trial. *Research In Developmental Disabilities*, 35(2),

490–497.

- Martini, E. (2014). Pengaruh Pijat Bayi Terhadap Kuantitas Tidur Bayi Usia 3-6 Bulan Di Desa Munungrejo Kecamatan Ngimbang Kabupaten Lamongan. *Ejournal Stikesmukla*, 2(18).
- Medise, B. E., & Sukartini, R. (2011). *Buku Pintar Bayi*. Puspa Swara.
- Mony, K., Selvam, V., Diwakar, K., & Raghavan R, V. (2018). Effect Of Nesting On Sleep Pattern Among Preterm Infants Admitted In NICU. *Biomedical Research*, 29(10), 1994–1997.
- Nasution, M. P. R. (2016). *Gambaran Kualitas Tidur Pada Siswa/Siswi SMAN 7 Medan*. Universitas Sumatera Utara.
- Notoatmodjo, S. (2010). *Ilmu Perilaku Kesehatan*. Rineka Cipta.
- Notoatmodjo, S. (2018). *Metodologi Penelitian Kesehatan Cetakan Ke-3*. Rineka Cipta.
- Nur, R., Arifuddin, A., & Novilia, R. (2016). Analisis Faktor Risiko Kejadian Berat Badan Lahir Rendah Di Rumah Sakit Umum Anutapura Palu. *Preventif: Jurnal Kesehatan Masyarakat*, 7(1).
- Nursalam. (2016). *Metodologi Penelitian Ilmu Keperawatan*. Selemba Medika.
- Oktiawati, A., & Julianti, E. (2017). *Teori Dan Aplikasi Perawatan Bayi Prematur*. Trans Info Media.
- Park, J. (2020). Sleep Promotion For Preterm Infants In The NICU. *Nursing For Women's Health*, 24(1), 24–35.
- Potter, P., & Perry, A. G. (2011). *Fundamental Of Nursing: Consep, Proses And Practice*. EGC.
- Poulose, R., Babu, M., & Rastogi, M. (2015). Effect Of Nesting On Posture Discomfort And Physiological Parameters Of Low Birth Weight Infants. *IOSR J Nurs Health*, 4(1), 46–50.
- Proverawati, A., & Cahyo, S. I. (2010). *BBLR: Berat Badan Lahir Rendah*. Nuha Medika.
- Puopolo, K. M., Benitz, W. E., & Zaoutis, T. E. (2018). Management Of Neonates Born At  $\geq 35$  0/7 Weeks' Gestation With Suspected Or Proven Early-Onset Bacterial Sepsis. *Pediatrics*, 142(6).
- Rambe, K. S. (2019). Pengaruh Pijat Bayi Terhadap Kualitas Tidur Bayi Umur 0-6 Bulan Di Desa Pasar Latong Kecamatan Lubuk Barumun Kabupaten Padang Lawas Tahun 2019. *Jurnal Ilmiah Simantek*, 3(4).
- Reyhani, T., Ramezani, S., Boskabadi, H., & Mazlom, S. (2016). Evaluation Of The Effect Of Nest Posture On The Sleep-Wake State Of Premature Infants. *Evidence Based Care Journal*, 6(1), 29–36.

- Richardson, H. L., & Horne, R. S. (2013). Arousal From Sleep Pathways Are Affected By The Prone Sleeping Position And Preterm Birth: Preterm Birth, Prone Sleeping And Arousal From Sleep. *Early Human Development*, 89(9), 705–711.
- Samra, H. A., & Smith, B. A. (2015). The Effect Of Staff Nurses' Shift Length And Fatigue On Patient Safety And Nurses' Health: From The National Association Of Neonatal Nurses. *Advances In Neonatal Care*, 15(5).
- Sarinengsih, Y., & Dirgahayu, I. (2021). Efektifitas PMK (Perawatan Metode Kanguru) Disertai Terapi Musik Klasik Dengan Nesting Disertai Terapi Musik Klasik Terhadap Berat Badan BBLR Di RSUD Majalaya. *Jurnal Ilmu Kesehatan Immanuel*, 14(2), 113–118.
- Sembinging, J. B. (2019). *Buku Ajar Neonatus, Bayi, Balita, Anak Pra Sekolah*. Deepublish.
- Setyarini, D. I., & Suprapti. (2016). *Asuhan Kebidanan Kegawatdaruratan Maternal Neonatal*. Kementerian Kesehatan Republik Indonesia.
- Shalini, N. R. (2018). *A Study To Assess The Effectiveness Of Nesting On Posture And Motor Performance Among High Risk Newborns In Vimal Jyothi Hospital At Coimbatore*. PPG College Of Nursing, Coimbatore.
- Stangenes, K. M., Fevang, S. K., Grundt, J., & Donkor, H. M. (2017). Children Born Extremely Preterm Had Different Sleeping Habits At 11 Years Of Age And More Childhood Sleep Problems Than Term-Born Children. *Acta Paediatrica*, 106(12), 1966–1972.
- Suismaya, N. L. G. W., & Artana, I. W. D. (2020). The Characteristics Of Neonatal Sepsis In Low Birth Weight (LBW) Infants At Sanglah General Hospital, Bali, Indonesia In 2018. *Intisari Sains Medis*, 11(2), 669–674.
- Sujarweni V, W. (2019). *Metodologi Penelitian Bisnis Ekonomi*. Pustaka Baru Press.
- Sukmawati, E., & Imanah, N. D. N. (2020). Efektivitas Pijat Bayi Terhadap Peningkatan Kualitas Tidur Bayi. *Jurnal Kesehatan Al-Irsyad*, 13(1), 11–17.
- Tham, E. K., Schneider, N., & Broekman, B. F. (2017). Infant Sleep And Its Relation With Cognition And Growth: A Narrative Review. *Nature And Science Of Sleep*, 9, 135–149.
- Utario, Y., Rustina, Y., & Waluyanti, F. T. (2017). The Quarter Prone Position Increases Oxygen Saturation In Premature Infants Using Continuous Positive Airway Pressure. *Comprehensive Child And Adolescent Nursing*, 40(1), 95–101.
- Visscher, M. O., Lacina, L., & Casper, T. (2015). Conformational Positioning Improves Sleep In Premature Infants With Feeding Difficulties. *The Journal Of Pediatrics*, 166(1), 44–48.

- Widyastuti, N. R. (2021). Gambaran Kualitas Tidur Bayi Setelah Dilakukan Pijat Bayi Usia 0-12 Bulan Di Puskesmas Jayapura Utara. *Healthy Papua-Jurnal Keperawatan Dan Kesehatan*, 4(2), 233–237.
- Yin, T., Yuh, Y.-S., Liaw, J.-J., Chen, Y.-Y., & Wang, K.-W. K. (2016). Semi-Prone Position Can Influence Variability In Respiratory Rate Of Premature Infants Using Nasal CPAP. *Journal Of Pediatric Nursing*, 31(2), 167–174.

